

## Combine your equipment

**✓** = Shows which crane models are possible to combine with each trailer model.

Choose the trailer and crane that suits just your requirements.

Trailer	Crane	C3.8	C4.6S	C4.6D	C5.1	C5.3	C6.0	C6.3	C6.5	C8.5
T 6	✓									
T 7		✓	✓							
T 8					✓	✓				
T 9					✓	✓	✓	✓		
T 10							✓	✓		
T 12									✓	✓
T 14 4WD									✓	✓

The matrix on this page concerns complete trailers, i.e. lumber trailer with crane.

## Trailer matrix

The trailer matrix presents the differences in our trailer range.

Trailer	Hydraulic support legs, carriage	Hydraulic support legs, telescopic	Frame steering	Hydraulic shiftn bogie	Hydraulic pump with tank	4WD hydraulic drive roller	Posts	Extension posts	Banks	Extension bank	Intermediate bank	Disc brakes 2 wheel	Drum brakes	Removable lighting bar	Lighting, permanently mounted
T 6	S	-	-	-	T	-	S <sup>4</sup>	T	S <sup>2</sup>	T	T	T	T	T	-
T 7	S	-	S	-	T	-	S <sup>4</sup>	T	S <sup>2</sup>	T	T	T	T	T	-
T 7 S	S	-	S	-	T	-	S <sup>4</sup>	T	S <sup>2</sup>	T	T	T	T	T	-
T 8	S	-	S	-	T	-	S <sup>6</sup>	T	S <sup>3</sup>	T	T	T	T	T	-
T 9		S	S	-	T	-	S <sup>6</sup>	T	S <sup>3</sup>	T	T	T	T	T	-
T 10		S	S	-	T	-	S <sup>6</sup>	T	S <sup>3</sup>	-	T	T	T	T	-
T 12	S	-	S	T	T	-	S <sup>6</sup>	T	S <sup>3</sup>	-	T	T	T	T	T
T 14 4WD	S	-	S	S	T	S	S <sup>8</sup>	S	S <sup>4</sup>	-	-	S	T	-	T

**S** = Standard  
**T** = Options  
**-** = Not available

Of carriage type  
 Telescopic  
 The number denotes the number of posts  
 The number denotes the number of banks  
 All models are available with 2 or 4 drum brakes

## Crane matrix

The crane matrix presents the differences in our crane range.

Crane	Crane extension	Stewing cylinders	Valve assembly 7-lever	Valve assembly 8-lever	Valve assembly 2 + 3 lever	Valve assembly 2 + 4 lever	Valve assembly 2 lever + 3 elec. on/off	Valve assembly 2 joystick + 4 elec. on/off	Valve assembly 2 joystick + 5 elec. on/off	Hydraulic servo valve	Electrical proportional	Electrical radio controlled proportional	Damper	Work lighting for grapple loader	Grapple 0.22	Grapple 0.20	Grapple 0.19	Grapple 0.16	Grapple 0.12	Rotator 3-ton	Rotator 4-ton	Hydraulic radio controlled winch
C 3.8	-	S <sup>4</sup>	S	-	T	-	T	-	-	T	T	T	T	-	-	-	T	S	S	-	-	
C 4.6D	-	S <sup>4</sup>	S	-	T	-	T	-	-	T	T	T	T	-	T	T	S	-	S	-	T	
C 4.6S	-	S <sup>2</sup>	S	-	T	-	T	-	-	T	T	T	T	-	T	T	S	-	S	-	T	
C 5.1	-	S <sup>4</sup>	T	-	S	-	T	-	-	T	T	T	T	-	T	T	S	-	S	-	T	
C 5.3	-	S <sup>4</sup>	T	-	S	-	T	-	-	T	T	T	T	-	T	T	S	-	S	-	T	
CT 6.0	S	S <sup>4</sup>	-	T	-	S	-	T	-	T	T	T	T	-	T	T	S	-	S	-	T	
CT 6.3	S	S <sup>4</sup>	-	T	-	S	-	T	-	T	T	T	T	-	T	T	S	-	S	-	T	
C 6.5 (T 12)	S	S <sup>4</sup>	-	T	-	S	-	T	-	T	T	T	T	S	-	-	-	-	-	S	T	
C 6.5 (T 14 4WD)	S	S <sup>4</sup>	-	-	-	-	-	S	T	T	T	T	T	S	-	-	-	-	-	S	T	
C 8.5 (T 12)	S	S <sup>4</sup>	-	T	-	S	-	T	-	T	T	T	T	S	-	-	-	-	-	S	T	
C 8.5 (T 14 4WD)	S	S <sup>4</sup>	-	-	-	-	-	S	T	T	T	T	T	S	-	-	-	-	-	S	T	

**S** = Standard  
**T** = Options  
**-** = Not available

The number denotes the number of stewing cylinders  
 For stewing, lifting and lowering  
 Weight 105 kg  
 Weight 99 kg  
 Weight 90 kg  
 Weight 70 kg  
 Weight 49 kg  
 Weight 16 kg  
 Weight 21 kg

Note! When a crane is mounted on T 12 and T 14 4WD the valve block stated as standard can change. Therefore the division in different trailer models for the larger cranes.